



SP LLC

S I S T E M A



HP

# Diamond instruments handpiece

Belarus, 220123 Minsk, vul. V. Khoruzhey,  
22, office 37

Tel: +375447498517  
+375296512360

Email: sistema.belarus@gmail.com  
WEB-site: <https://sistemaexport.com>



ISO 13485:2016

## The new numbering system



Coding 1:

806.104.243.**514**.021

Color coding

Form number

Diameter w/p

Coding 2:

**856**.104.243.080.021


Color coding

Length w/p

<span style="color: yellow;">●</span> 504	836	50/40 extra-fine
<span style="color: red;">●</span> 514	856	63/50 fine
<span style="color: blue;">●</span> 524	866	125/100 medium
<span style="color: green;">●</span> 534	876	160/125 coarse
<span style="color: black;">●</span> 544	886	200/160 very-coarse

# 001

806.104.001  
8 • 6.104.001



Diameter: 010 012 014 016 018 021 023 025 027 029 030 031 033 035 036 040 050  
Length: 007 009 011 013 015 018 020 022 024 027 027 029 029 030 032 032 037 047

# 002

806.104.002  
8 • 6.104.002



Diameter: 012 014 016 018 021 023 025 027 033  
Length: 030 030 030 035 040 045 045 055 055

# 010

806.104.010  
8 • 6.104.010



Diameter: 014 016 018  
Length: 016 016 016

# 010

806.104.010  
8 • 6.104.010



Diameter: 021 023 025 027 031 033 035 050  
Length: 020 023 023 025 030 030 030 040

# 014

806.104.014  
8 • 6.104.014



Diameter: 031 033  
Length: 012 012

# 019

806.104.019  
8 • 6.104.019



Diameter: 014 016 018 021 023  
Length: 030 030 030 035 040

# 038

806.104.038  
8 • 6.104.038



Diameter: 031 033  
Length: 040 040

# 041

806.104.041  
8 • 6.104.041



Diameter: 040 050  
Length: 010 010

# 042

806.104.042  
8 • 6.104.042



Diameter: 040 050  
Length: 020 020

068  
109



Diameter: 033 040 050 010  
Length: 010 015 015 040

110

806.104.110  
8-6.104.110



Diameter: 010 012 014 016 018 021  
Length: 060 060 060 060 060 060

110

806.104.110  
8-6.104.110



Diameter: 023 025 027 031 033 050  
Length: 060 060 060 060 060 060

111

806.104.111  
8-6.104.111



Diameter: 031 033 050  
Length: 080 080 090

119  
130  
139



Diameter: 050 012 033 033  
Length: 070 080 080 040

141

806.104.141  
8-6.104.141



Diameter: 018 021 025 027 031 033  
Length: 080 080 080 080 080 080

143  
150  
161



Diameter: 050 050 040  
Length: 120 001 080

166

806.104.166  
8-6.104.166



Diameter: 016 018 025 027 031 033  
Length: 100 100 100 100 100 100

167

806.104.167  
8-6.104.167



Diameter: 016 018 050  
Length: 115 115 120

172

173  
196



Diameter: 023 025 014 016 050 010 012  
Length: 080 080 100 100 100 040 040

197  
198



Diameter: 014 016 012 014 016 035 036 040 050  
Length: 060 060 080 080 080 080 080 080 090

199

806.104.199  
8 • 6.104.199



Diameter: 018 021 025 027 033  
Length: 100 100 100 100 100

225  
239



Diameter: 016 030 033 050  
Length: 040 060 070 120

243

806.104.244  
8 • 6.104.244



Diameter: 010 012 012 014 014  
Length: 080 060 080 060 080

243

806.104.243  
8 • 6.104.243



Diameter: 016 018 021 023 025  
Length: 080 080 080 080 080

244

806.104.249  
8 • 6.104.249



Diameter: 021 023 025  
Length: 100 100 100

249

250



Diameter: 027 033 010 012 014 016 018 021  
Length: 080 080 100 100 100 100 100 100

254

806.104.254  
8 • 6.104.254



Diameter: 023 025 035 037 040 050  
Length: 060 060 080 080 090 100

257

806.104.257  
8 • 6.104.257



Diameter: 012 014 016 018 021 023 025 027 033  
Length: 030 030 030 045 050 050 050 050 050

261

806.104.261  
8 • 6.104.261



Diameter: 018 021 023 025  
Length: 080 080 080 080

## 263

806.104.263  
8 6.104.263



Diameter: 016 018 021 023 050  
Length: 080 080 080 080 120

## 266

806.104.266  
8 6.104.266



Diameter: 031 033 040 050  
Length: 100 100 110 120

## 274

806.104.274  
8 6.104.274



Diameter: 031 050  
Length: 150 150

## 277

806.104.277  
8 6.104.277



Diameter: 016 018 018 021 023  
Length: 034 034 045 050 050

## 292

806.104.292  
8 6.104.292



Diameter: 031  
Length: 150

## 304

806.104.304  
8 6.104.304



Diameter: 031 033 050  
Length: 010 010 013

## 243T

806.104.243T  
8 6.104.243T



Diameter: 016 018 021 023 025  
Length: 080 080 080 080 080

## 263T

806.104.263T  
8 6.104.263T



Diameter: 016 018 021 023 025 027  
Length: 080 080 080 080 080 080

## 284

330.104.284



Diameter: 015 022  
Length: 022 070