



SP LLC **S I S T E M A**



Diamond instruments handpiece

Belarus, 220123 Minsk, vul. V. Khoruzhey,
22, office 37


tel/fax 8-10-375-17-242-16-62,
tel. 8-10-375-17-242-16-63

Email: sistema1.by@yandex.by
WEB-site adress: www.sistema1.by



ISO 13485:2016

The new numbering system



Coding 1:

806.104.243.514.021

Color coding

Form number

Diameter w/p

Coding 2:

856.104.243.080.021

Color coding

Length w/p

Color coding decoding:

● 504	836	50/40 extra-fine
● 514	856	63/50 fine
● 524	866	125/100 medium
● 534	876	160/125 coarse
● 544	886	200/160 very-coarse

001

806.104.001
8 • 6.104.001



Diameter: 010 012 014 016 018 021 023 025 027 029 030 031 033 035 036 040 050
Length: 007 009 011 013 015 018 020 022 024 027 027 029 029 030 032 032 037 047

002

806.104.002
8 • 6.104.002



Diameter: 012 014 016 018 021 023 025 027 033
Length: 030 030 030 035 040 045 045 055 055

010

806.104.010
8 • 6.104.010



Diameter: 014 016 018
Length: 016 016 016

010

806.104.010
8 • 6.104.010



Diameter: 021 023 025 027 031 033 035 050
Length: 020 023 023 025 030 030 030 040

014

806.104.014
8 • 6.104.014



Diameter: 031 033
Length: 012 012

019

806.104.019
8 • 6.104.019



Diameter: 014 016 018 021 023
Length: 030 030 030 035 040

038

806.104.038
8 • 6.104.038



Diameter: 031 033
Length: 040 040

041

806.104.041
8 • 6.104.041



Diameter: 040 050
Length: 010 010

042

806.104.042
8 • 6.104.042



Diameter: 040 050
Length: 020 020

068
109



Diameter: 033 040 050 010
Length: 010 015 015 040

110

806.104.110
8-6.104.110



Diameter: 010 012 014 016 018 021
Length: 060 060 060 060 060 060

110

806.104.110
8-6.104.110



Diameter: 023 025 027 031 033 050
Length: 060 060 060 060 060 060

111

806.104.111
8-6.104.111



Diameter: 031 033 050
Length: 080 080 090

119
130
139



Diameter: 050 012 033 033
Length: 070 080 080 040


141

806.104.141
8-6.104.141



Diameter: 018 021 025 027 031 033
Length: 080 080 080 080 080 080

143
150
161



Diameter: 050 050 040
Length: 120 001 080

166

806.104.166
8-6.104.166



Diameter: 016 018 025 027 031 033
Length: 100 100 100 100 100 100

167

806.104.167
8-6.104.167



Diameter: 016 018 050
Length: 115 115 120

172

173
196



Diameter: 023 025 014 016 050 010 012
Length: 080 080 100 100 100 040 040

197
198



Diameter: 014 016 012 014 016 035 036 040 050
Length: 060 060 080 080 080 080 080 080 090

199

806.104.199
8 • 6.104.199



Diameter: 018 021 025 027 033
Length: 100 100 100 100 100

225
239



Diameter: 016 030 033 050
Length: 040 060 070 120

243

806.104.244
8 • 6.104.244



Diameter: 010 012 012 014 014
Length: 080 060 080 060 080

243

806.104.243
8 • 6.104.243



Diameter: 016 018 021 023 025
Length: 080 080 080 080 080

244

806.104.249
8 • 6.104.249



Diameter: 021 023 025
Length: 100 100 100

249

250



Diameter: 027 033 010 012 014 016 018 021
Length: 080 080 100 100 100 100 100 100

254

806.104.254
8 • 6.104.254



Diameter: 023 025 035 037 040 050
Length: 060 060 080 080 090 100

257

806.104.257
8 • 6.104.257



Diameter: 012 014 016 018 021 023 025 027 033
Length: 030 030 030 045 050 050 050 050 050

261

806.104.261
8 • 6.104.261



Diameter: 018 021 023 025
Length: 080 080 080 080

263

806.104.263
8 6.104.263



Diameter: 016 018 021 023 050
Length: 080 080 080 080 120

266

806.104.266
8 6.104.266



Diameter: 031 033 040 050
Length: 100 100 110 120

274

806.104.274
8 6.104.274



Diameter: 031 050
Length: 150 150

277

806.104.277
8 6.104.277



Diameter: 016 018 018 021 023
Length: 034 034 045 050 050

292

806.104.292
8 6.104.292



Diameter: 031
Length: 150

304

806.104.304
8 6.104.304



Diameter: 031 033 050
Length: 010 010 013

243T

806.104.243T
8 6.104.243T



Diameter: 016 018 021 023 025
Length: 080 080 080 080 080

263T

806.104.263T
8 6.104.263T



Diameter: 016 018 021 023 025 027
Length: 080 080 080 080 080 080

284

330.104.284



Diameter: 015 022
Length: 022 070